


From :

Uniphos Agro Industries Limited , Mumbai , India .

SPECIFICATION SHEET OF THE U SHAPE HDPE CONTAINER



Product Shape	U	U	U	U	U (MC)
Capacity (ml)	100 ml.	250 ml.	500 ml.	1000 ml.	1000 ml.
Container Total Height – with Cap (mm)	89.00 +/-0.50	124.00 +/-1.00	172.00 +/-1.00	197.00 +/-1.00	197.00 +/-1.00
Container Height (mm)	86.00 +/-0.50	120.00 +/-1.00	170.00 +/-1.00	195.00 +/-1.00	195.00 +/-1.00
Container Diameter (mm)	52.50 +/-0.50	65.00 +/-1.00	75.00 +/-1.00	97.00 +/-1.00	97.00 +/-1.00
Neck Inner Diameter (mm)	22.00 +/-0.20	22.00 +/-0.20	22.00 +/-0.20	22.00 +/-0.20	22.00 +/-0.20
Thread Diameter (mm)	36.20 +/-0.30	36.20 +/-0.30	36.20 +/-0.30	36.20 +/-0.30	36.20 +/-0.30
Height for Label Fixing (mm)	49.00 +/-0.50	77.00 +/-0.50	125.00 +/-0.50	140.00 +/-0.50	140.00 +/-0.50
Circumference for Label Fixing (mm)	164.90 +/-2.0	204.10 +/-3.00	235.60 +/-3.00	304.70 +/-3.00	304.70 +/-3.00
Weight: Container (gms.)	24.00 +/-1.00	40.00 +/-1.50	65.00 +/-2.00	113.00 +/-3.00	113.00 +/-3.00
Weight: Cap (gms.)	5.00 +/-0.30	5.00 +/-0.30	5.00 +/-0.30	5.00 +/-0.30	---
Weight: Plug (gms.)	2.10 +/-0.20	2.10 +/-0.20	2.10 +/-0.20	2.10 +/-0.20	2.10 +/-0.20
Weight: Pilfer proof Ring (gms.)	---	---	---	---	---
Weight: Handle (gms)	---	---	---	---	---
Weight: Measuring Cup(gms)(Optional)	---	---	---	---	12.00 +/-0.30
Weight: Gasket (gms)	---	---	---	---	---
Weight: Metal Ring (gms)	---	---	---	---	---
Total Weight (gms)	31.10 +/-1.50	47.10 +/-2.00	72.10 +/-2.50	120.10 +/-2.50	127.10 +/-2.50
Induction Seal	---	---	---	---	---
Brimful Capacity (ml.)	132.00 +/-5.00	300.00 +/-5.00	595.00 +/-5.00	1120.00 +/-10.00	1120.00 +/-10.00
Colour Options: Container	W	W	W	W	W
Colour Options: Cap	W / G / B	W / G / B	W / G / B	W / G / B	R / Y
Colour Options: Pilfer proof ring	---	---	---	---	---


Colour Option: N – Natural, W – White, R – Red, G – Green, B- Blue, BL – Black, Y- Yellow

Prepared By	Checked By	Approved By

From :

Uniphos Agro Industries Limited , Mumbai , India

SPECIFICATION SHEET OF THE UE SHAPE HDPE CONTAINERS



Product Shape	UE	UE	UE	UE	UE
Capacity (ml)	50 ml.	100 ml.	250 ml.	500 ml.	1000 ml.
Container Total Height – with Cap (mm)	86.00 +/-0.50	95.00 +/-0.50	130.00 +/-1.00	200.00 +/-1.00	237.00 +/-1.00
Container Height (mm)	82.50 +/-0.50	90.50 +/-0.50	124.00 +/-1.00	195.00 +/-1.00	230.50 +/-1.00
Container Diameter (mm)	48.50 +/-0.50	54.50 +/-0.50	65.00 +/-1.00	71.00 +/-1.00	89.50 +/-1.00
Neck Inner Diameter (mm)	27.00 +/-0.20	27.00 +/-0.20	38.50 +/-0.20	38.50 +/-0.20	38.50 +/-0.20
Thread Diameter (mm)	37.00 +/-0.50	36.50 +/-0.50	49.00 +/-0.30	49.00 +/-0.30	49.00 +/-0.30
Height for Label Fixing (mm)	40.00 +/-0.30	42.00 +/-0.30	65.00 +/-0.30	118.50 +/-0.30	148.00 +/-0.30
Circumference for Label Fixing (mm)	141.30 +/-2.00	166.50 +/-2.00	198.00 +/-3.00	216.50 +/-3.00	275.00 +/-3.00
Weight: Container (gms.)	18.00 +/-1.00	24.00 +/-1.00	40.00 +/-1.50	60.00 +/-2.00	100.00 +/-3.00
Weight: Cap (gms.)	7.00 +/-0.30	7.00 +/-0.30	12.50 +/-0.30	12.50 +/-0.30	12.50 +/-0.30
Weight: Plug (gms.)	1.40 +/-0.20	1.40 +/-0.20	3.00 +/-0.20	3.00 +/-0.20	3.00 +/-0.20
Weight: Deep Plug (gms.) (Optional)	1.90 +/-0.20	1.90 +/-0.20	3.90 +/-0.20	3.90 +/-0.20	3.90 +/-0.20
Weight: Pilfer proof Ring (gms.)	1.30 +/-0.20	1.30 +/-0.20	2.50 +/-0.20	2.50 +/-0.20	2.50 +/-0.20
Weight: Handle (gms)	---	---	---	---	---
Weight: Measuring Cup(gms) (Optional)	1.20 +/-0.20	1.20 +/-0.20	2.40 +/-0.20	2.40 +/-0.20	2.40 +/-0.20
Weight: Gasket (gms)	---	---	---	---	---
Weight: Metal Ring (gms)	---	---	---	---	---
Total Weight (gms)	27.70 +/-1.70	33.70 +/-1.70	58.00 +/-2.20	78.00 +/-2.70	118.00 +/-3.70
Induction Seal	(34.5 mm) Meyer	(34.5 mm) Meyer	(46.4 mm) Meyer	(46.4 mm) Meyer	(46.4 mm) Meyer
Brimful Capacity (ml.)	95.00 +/-5.00	135.00 +/-5.00	310.00 +/-5.00	605.00 +/-5.00	1125.00 +/-10.00
Colour Options: Container	N / W	N / W	N / W	N / W	N / W
Colour Options: Cap	W / R / G / B	W / R / G / B	W / R / G / B	W / R / G / B	W / R / G / B
Colour Options: Pilfer proof ring	N	N	N	N	N


Colour Option: N – Natural, W – White, R – Red, G – Green, B- Blue, BL – Black

Prepared By	Checked By	Approved By

From

Uniphos Agro Industries Limited

SPECIFICATION SHEET OF L SHAPE



Product Shape	L	L	L	L
Capacity (ml)	100 ml.	250 ml.	500 ml.	1000 ml.
Container Total Height – with Cap (mm)	98.00 +/-0.50	130.50 +/-1.00	193.00 +/-1.00	229.50 +/-1.00
Container Height (mm)	95.00 +/-0.50	127.00 +/-1.00	190.00 +/-1.00	226.50 +/-1.00
Container Diameter (mm)	48.50 +/-0.50	61.00 +/-1.00	72.00 +/-1.00	90.00 +/-1.00
Neck Inner Diameter (mm)	27.00 +/-0.20	27.00 +/-0.20	27.00 +/-0.20	27.00 +/-0.20
Thread Diameter (mm)	36.50 +/-0.30	36.50 +/-0.30	36.50 +/-0.30	36.50 +/-0.30
Height for Label Fixing (mm)	46.00 +/-0.50	63.00 +/-0.50	105.00 +/-0.50	124.00 +/-0.50
Circumference for Label Fixing (mm)	152.30 +/-0.20	191.50 +/-3.00	226.00 +/-3.00	282.50 +/-3.00
Weight: Container (gms.)	24.00 +/-1.00	36.00 +/-1.50	58.00 +/-2.00	94.00 +/-3.00
Weight: Cap (gms.)	6.00 +/-0.30	6.00 +/-0.30	6.00 +/-0.30	6.00 +/-0.30
Weight: Plug (gms.)	1.40 +/-0.20	1.40 +/-0.20	1.40 +/-0.20	1.40 +/-0.20
Weight: Pilfer proof Ring (gms.)	---	---	---	---
Weight: Handle (gms)	---	---	---	---
Weight: Measuring Cup(gms)(Optional)	---	---	---	---
Weight: Gasket (gms)	---	---	---	---
Weight: Metal Ring (gms)	---	---	---	---
Total Weight (gms)	31.40 +/-1.50	43.40 +/-2.00	65.40 +/-2.50	101.40 +/-3.50
Induction Seal (Optional)	Yes	Yes	Yes	Yes
Brimful Capacity (ml.)	127.00 +/-5.00	275.00 +/-5.00	590.00 +/-10.00	1100.00 +/-10.00
Colour Options: Container	N / W	N / W	N / W	N / W
Colour Options: Cap	W	W	W	W
Colour Options: Pilfer proof ring	---	---	---	---

Colour Option: N – Natural, W – White, R – Red, G – Green, B- Blue, BL – Black

Prepared By


Checked By

Approved By

From

Uniphos Agro Industries Limited

SPECIFICATION SHEET OF P SHAPE



Product Shape	P	P	P	P	P (Low Weight)
Capacity (ml)	100 ml.	250 ml.	500 ml.	1000 ml.	1000ml.
Container Total Height – with Cap (mm)	99.00 +/-0.50	132.00 +/-1.00	178.00 +/-1.00	206.00 +/-1.00	205.00 +/-1.00
Container Height (mm)	96.00 +/-0.50	127.00 +/-1.00	173.00 +/-1.00	202.00 +/-1.00	202.00 +/-1.00
Container Diameter (mm)	49.50 +/-0.50	64.00 +/-1.00	75.00 +/-1.00	94.00 +/-1.00	94.00 +/-1.00
Neck Inner Diameter (mm)	18.50 +/-0.20	18.50 +/-0.20	18.50 +/-0.20	18.50 +/-0.20	18.50 +/-0.20
Thread Diameter (mm)	28.50 +/-0.30	28.50 +/-0.30	28.50 +/-0.30	28.50 +/-0.30	28.50 +/-0.30
Height for Label Fixing (mm)	56.00 +/-0.50	82.00 +/-0.50	129.00 +/-0.30	152.00 +/-0.50	152.00 +/-0.50
Circumference for Label Fixing (mm)	154.00 +/-2.0	201.00 +/-3.00	235.60 +/-3.00	296.30 +/-3.00	296.30 +/-3.00
Weight: Container (gms.)	25.00 +/-1.00	38.00 +/-1.50	65.00 +/-2.00	108.00 +/-3.00	72.00 +/-2.40
Weight: Cap (gms.)	5.00 +/-0.30	5.00 +/-0.30	5.00 +/-0.30	5.00 +/-0.30	5.00 +/-0.30
Weight: Plug (gms.)	1.00 +/-0.20	1.00 +/-0.20	1.00 +/-0.20	1.00 +/-0.20	1.00 +/-0.20
Weight: Pilfer proof Ring (gms.)	---	---	---	---	---
Weight: Handle (gms)	---	---	---	---	---
Weight: Measuring Cup(gms)(Optional)	---	---	---	---	---
Weight: Gasket (gms)	---	---	---	---	---
Weight: Metal Ring (gms)	---	---	---	---	---
Total Weight (gms)	31.00 +/-1.50	44.00 +/-2.00	71.00 +/-2.50	114.00 +/-3.50	78.00 +/-2.50
Induction Seal	---	---	---	---	---
Brimful Capacity (ml.)	125.00 +/-5.00	290.00 +/-5.00	580.00 +/-5.00	1100.00 +/-10.00	1100.00 +/-10.00
Colour Options: Container	N / W	N / W	N / W	N / W	N / W
Colour Options: Cap	W	W	W	W	W
Colour Options: Pilfer proof ring	---	---	---	---	---


Colour Option: N – Natural, W – White, R – Red, G – Green, B- Blue, BL – Black

Prepared By

Checked By

Approved By

From :	Uniphos Agor Industries Limited
	SPECIFICATION SHEET FOR F SHAPE



Product Shape	F	F	F	F	F
Capacity (ml)	50 ml.	100 ml.	250 ml.	500 ml.	1000 ml.
Container Total Height – with Cap (mm)	88.00 +/-0.50	105.00 +/-0.50	148.50 +/-1.00	186.00 +/-1.00	233.00 +/-1.00
Container Height (mm)	81.50 +/-0.50	100.00 +/-1.00	142.00 +/-1.00	183.00 +/-1.00	228.00 +/-1.00
Container Diameter (mm)	46.50 +/-0.50	51.00 +/-0.50	61.00 +/-1.00	74.00 +/-1.00	90.00 +/-1.00
Neck Inner Diameter (mm)	27.00 +/-0.20	27.00 +/-0.20	27.00 +/-0.20	27.00 +/-0.20	27.00 +/-0.20
Thread Diameter (mm)	37.00 +/-0.30	37.00 +/-0.30	37.00 +/-0.30	37.00 +/-0.30	37.00 +/-0.30
Height for Label Fixing (mm)	40.00 +/-0.30	46.00 +/-0.30	75.50 +/-0.30	108.00 +/-0.30	136.50 +/-0.30
Circumference for Label Fixing (mm)	141.30 +/-2.00	154.00 +/-2.00	188.50 +/-2.00	226.00 +/-3.00	276.50 +/-3.00
Weight: Container (gms.)	18.00 +/-1.00	22.00 +/-1.00	36.00 +/-1.50	60.00 +/-2.00	103.00 +/-3.00
Weight: Cap (gms.)	7.00 +/-0.30	7.00 +/-0.30	7.00 +/-0.30	7.00 +/-0.30	7.00 +/-0.30
Weight: Plug (gms.)	1.40 +/-0.20	1.40 +/-0.20	1.40 +/-0.20	1.40 +/-0.20	1.40 +/-0.20
Weight: Pilfer proof Ring (gms.)	1.30 +/-0.20	1.30 +/-0.20	1.30 +/-0.20	1.30 +/-0.20	1.30 +/-0.20
Weight: Handle (gms)	---	---	---	---	---
Weight: Measuring Cup (gms)	---	---	---	---	---
Weight: Gasket (gms)	---	---	---	---	---
Weight: Metal Ring (gms)	---	---	---	---	---
Total Weight (gms)	27.70 +/-1.70	31.70 +/-1.70	45.70 +/-2.20	67.70 +/-2.70	112.70 +/-3.70
Induction Seal	(34.6) Meyer	(34.6) Meyer	(34.6) Meyer	(34.6) Meyer	(34.6) Meyer
Brimful Capacity (ml.)	95.00 +/-5.00	140.00 +/-5.00	300.00 +/-5.00	580.00 +/-5.00	1100.00 +/-10.00
Colour Options: Container	W	W	W	W	W
Colour Options: Cap	W / R	W / R	W / R	W / R	W / R
Colour Options: Pilfer proof ring	N	N	N	N	N


Colour Option: N – Natural, W – White, R – Red, G – Green, B- Blue, BL - Black

Prepared By	Checked By	Approved By

From

Uniphos Agro Industries Limited

SPECIFICATION SHEET OF C SHAPE



Product Shape	C	C	C
Capacity (ml)	250 ml.	500 ml.	1000 ml.
Container Total Height – with Cap (mm)	115.50 +/-2.00	155.00 +/-2.00	192.00 +/-2.00
Container Height (mm)	114.00 +/-2.00	152.00 +/-2.00	189.00 +/-2.00
Container (L x W) (mm)	79.0 x 43.0 +/-2.00	105.0 x 50.0 +/-2.00	131.0 x 62.0 +/-2.00
Neck Inner Diameter (mm)	21.00 +/-0.50	21.00 +/-0.50	21.00 +/-0.50
Thread Diameter (mm)	27.50 +/-0.50	27.50 +/-0.50	27.50 +/-0.50
Height for Label Fixing (mm)	85.00 +/-0.50	81.00 +/-0.50	98.00 +/-0.50
Width for Label Fixing (mm)	85.00 +/-0.50	90.00 +/-0.50	112.00 +/-0.50
Circumference for Label fixing	215.00 +/-2.00	278.00 +/-2.00	348.00 +/-2.00
Weight: Container (gms.)	25.00 +/-2.00	45.00 +/-2.00	70.00 +/-2.00
Weight: Cap (gms.)	2.10 +/-0.30	2.10 +/-0.30	2.10 +/-0.30
Weight: Plug (gms.)	---	---	---
Weight: Pilfer proof Ring (gms.)	---	---	---
Weight: Handle (gms)	---	---	---
Weight: Measuring Cup(gms)(Optional)	---	---	---
Weight: Gasket (gms)	---	---	---
Weight: Metal Ring (gms)	---	---	---
Total Weight (gms)	27.10 +/-2.30	47.10 +/-2.30	72.10 +/-2.30
Induction Seal	Yes	Yes	Yes
Brimful Capacity (ml.)	265.00 +/-5.00	580.00 +/-5.00	1110.00 +/-10.00
Colour Options: Container	N / W	N / W	N / W
Colour Options: Cap	W	W	W
Colour Options: Pilfer proof ring	---	---	---


Colour Option: N – Natural, W – White, R – Red, G – Green, B – Blue, BL – Black

Prepared By	Checked By	Approved By

From

Uniphos Agro Industries Limited

SPECIFICATION SHEET OF AG SHAPE



Product Shape	AG
Capacity (ml.)	1000 ml.
Container Total Height – with Cap (mm)	179.00 +/-1.0
Container Height (mm)	177.00 +/-1.0
Container Diameter (mm)	102.00 +/-1.0
Neck Inner Diameter (mm)	90.00 +/-0.50
Thread Diameter (mm)	---
Height for Label Fixing (mm)	95.00 +/-2.0
Circumference for Label Fixing (mm)	314.00 +/-3.0
Weight: Container (gms.)	85.00 +/-3.00
Weight: Cap (gms.)	22.50 +/-0.50
Weight: Plug (gms.)	---
Weight: Pilfer proof Ring (gms.)	---
Weight: Handle (gms)	---
Weight: Measuring Cup(gms)(Optional)	---
Weight: Gasket (gms)	---
Weight: Metal Ring (gms)	---
Total Weight (gms)	107.50 +/-3.50
Induction Seal	Meyer
Brimful Capacity (ml.)	1250.00 +/-10.00
Colour Options: Container	W
Colour Options: Cap	W
Colour Options: Pilfer proof ring	---

Colour Option: N – Natural, W – White, R – Red, G – Green, B- Blue, BL – Black

Prepared By	Checked By	Approved By

From

Uniphos Agro Industries Limited

SPECIFICATION SHEET OF LR SHAPE



Product Shape	LR	LR (J)	LR (J)	LR	LR
New Capacity (ml)	400 ml.	1000 ml.	1500 ml.	2500 ml.	3000 ml.
Old Capacity (ml)	100 gms.	250 gms.	500 gms.	750 gms.	1000 gms.
Container Total Height – with Cap (mm)	120.00 +/-1.00	141.00 +/-1.00	183.00 +/-1.00	199.00 +/-1.00	240.00 +/-1.00
Container Height (mm)	117.00 +/-1.00	138.00 +/-1.00	180.50 +/-1.00	184.00 +/-1.00	224.00 +/-1.00
Container Diameter (mm)	71.00 +/-1.00	113.50 +/-1.00	114.50 +/-1.00	142.75 +/-1.00	142.75 +/-1.00
Neck Inner Diameter (mm)	55.25 +/-0.50	103.00 +/-0.50	103.00 +/-0.50	118.75 +/-0.50	118.75 +/-0.50
Thread Diameter (mm)	68.00 +/-0.50	118.00 +/-0.50	118.00 +/-0.50	139.75 +/-0.50	139.75 +/-0.50
Height for Label Fixing (mm)	76.00 +/-1.00	73.00 +/-1.00	99.00 +/-1.00	84.00 +/-1.00	125.00 +/-1.00
Circumference for Label Fixing (mm)	223.00 +/-3.00	358.50 +/-3.00	359.50 +/-3.00	448.00 +/-3.00	448.00 +/-3.00
Weight: Container (gms.)	28.00 +/-2.00	78.00 +/-2.00	112.00 +/-2.00	120.00 +/-3.00	172.00 +/-3.00
Weight: Cap (gms.)	10.00 +/-0.50	22.50 +/-0.50	22.50 +/-0.50	40.50 +/-0.50	40.50 +/-0.50
Weight: Plug (gms.)	---	---	---	---	---
Weight: Pilfer proof Ring (gms.)	---	---	---	---	---
Weight: Handle (gms)	---	---	---	9.50 +/-0.50	9.50 +/-0.50
Weight: MeasuringCup(gms) (Optional)	---	---	---	---	---
Weight: Gasket (gms)	---	---	---	---	---
Weight: Metal Ring (gms)	---	---	---	---	---
Total Weight (gms)	38.00 +/-2.50	100.50 +/-2.50	134.50 +/-2.50	170.00 +/-4.00	222.00 +/-4.00
Induction Seal	Yes	Yes	Yes	Yes	Yes
Brimful Capacity (ml.)	440.00 +/-5.00	1290.00 +/-5.00	1700.00 +/-10.0	2800.00 +/-10.0	3300.00 +/-10.0
Colour Options: Container	W	W	W	W	W
Colour Options: Cap	R / Y / P	R / Y / P	R / Y / P	R / Y / P	R / Y / P
Colour Options: Pilfer proof ring	---	---	---	---	---

Colour Option: N – Natural, W – White, R – Red, G – Green, B- Blue, P - Purple

Prepared By	Checked By	Approved By